



KERCHAN
Professional Innovation

Product Specification

Product No: KERSAD2022067





Product model: SAD1010M

File No: KER2022001

Version No: V2.0

Date: 2022-01-01

Index

01	 Product Features	2
02	 Application	2
03	 Specification	3-4
04	 Instructions and After-Sales Service	4

Product Features

1. Pre-installed meeting reservation APK (Free for use);
2. Embedded LED lights, indicates the status of the meeting room occupation;
3. Wireless WiFi or 4G;
4. 10 point capacitive touch;
5. Flexible mounting options;
6. POE option;
7. Quick and easy meeting room booking;
8. Central management via cloud-based CMS;
9. Android Based, interactive display solution is available;

Application

10.1 inch meeting room display Android tablet is most efficient and easy-to-use conference room management tablet on the market, which helps you to avoid meeting interruptions, double-bookings, and under-utilized spaces. The display screen will help let you and your colleagues confirm your booking directly on screen. If you don't show up, or if you have forgotten to cancel your meeting, the room will automatically change its status to "Available", allowing others to book the room either through a scheduling software or directly on screen. This gives you an easy overview of which rooms are in use and not just which rooms are booked. This meeting room display Android tablet can be widely used for businesses, government, healthcare and more!

Specification

10.1 inch Meeting Room Display Android Tablet



Description

- Model No.: SAD1010M.
- Pre-installed meeting reservation APK (Free for use).
- Flexible mounting options.
- POE Option.
- Quick and easy meeting room booking

Product Technical Specification

Model	SAD1010M	Shell color	Standard: black
Open Frame or Enclosed	Enclosed	External Port	Support SD/U flash disk
LCD Panel	10.1 inch	Input	AC 100-240V
Resolution	1280*800	Output	DC 12V/2A
Display Ratio	16:9	Power consumption (Watt)	≤12W
Brightness	220cd/m2	Standby (Watt)	≤1W
Contrast	500:1	Material	ABS material injection process
Colour	16.7M	Installation	75*75mm VESA Wall Mount
Visible Angle	178/178	Image Format	JPEG/BMP/GIF/PNG
Response Time	5ms	Life Time (hrs)	20000 H
Audio Format	MP3/ WMA/WAV	Video Format	MPEG1/MPEG2/MP4, AV/MOV/3GP/RMVP/MKV
Visible Area	216.96×135.6mm(H×V)	Outline dimension	252.05*174.05*27.6mm
CPU	A64, Corte-A53,1.5GHz	GPU	Mali400 MP2
OS	Android 6.0/8.1	Control Method	Remote control/Mouse
Memory	DDR3 2GB	ROM NAND flash	8GB/16GB
Default Language	English	Menu Language	Support Chinese, English
Storage Temperature	0℃~40℃	Working Temperature	-20℃~60℃
Working Humidity	20%-80%RH	Storage Humidity	10%-75%
Decoded Resolution	Support 1080P	RTC Real-time Clock	Support
Product Weight (N.W.)	1.2kg	Switch Time Setting	Support
System Update	SD card update	Plug Types	US, EU, AU, UK Optional
Package Size	A single package: 492*76*279mm Bulk packages: 784*516*250mm	Packaging	16pcs/Package Package Weight: 25kg (Reference Only)

External Interface	DC IN/USB*2/HDMI OUT/SD/Earphone	Speaker	Size: 22MM*74MM, speakers 8R 2W
Touch Panel	Support	External Port	Support SD/U flash disk
Accessories	User Guide, Instruction Book, Warranty, Desiccant	Optional	

Accessories: instruction manual, warranty card, desiccant, certificate, power adapter;

Notes: Some of the above specifications are optional for reference only. Please select the relevant function parameters according to your need and confirm the parameters with our sales team. The final interpretation right belongs to Shenzhen Kerchan Technology Co., Ltd. A corresponding fee will be charged according to the optional function, so please confirm with us.

Instructions and After-Sales Service

Instructions

1. The working voltage: 100V 240V ~ 50/60Hz AC, please do not exceed the working voltage range.
2. Please place gently and do not stress when shipping and storing.

Warranty and After-Sales Service

1. Please read carefully the product specifications firstly .
2. Before using, please confirm the product not been damaged in the transport, if damaged, it cannot be installed.
3. The power supply in the package is only used for this product; Do not use other power source.
4. When the product is faulty, please entrust the professional person to carry out inspection and maintenance to ensure the safety. Do not disassemble by yourself to avoid unnecessary damage.
5. To prevent to be suffocated to death, package materials should be stay away from children.
6. To prevent to be swallowed by children, please take care of the small components.
7. Do not cover anything on the product.
8. Products should be away from the strong magnetic field interference and high temperature objects.